

HURUSHEU

2U 19" RUGGED RACKMOUNT WITH INTEL. 6TH GEN CORE 17 PROCESSOR, MXM GRAPHIC CARD, INTEL X540 10 GBE, OPERATING TEMPERATURE -40~+50°C COMPUTER



POWER AUTOMATION COMPUTER

- Intel[®] 6th Gen. Core i7-6700
- 4 x DDR4 XR-DIMM up to 64GB
- Intel[®] X540-T2 Dual10GbE
- MXM Graphic Card support
- 6 x RJ45 LAN, 6 x USB
- 2 x 2.5" Easy swap SSD/HDD Tray
- Extended Temperature -40~+50°C

Specifications

SYSTEM

CPU	Intel [®] Skylake-S Desktop Processor
Memory type	4 x DDR4 XR-DIMM up to 64GB
Expansion slot	4 x mPCle slot (two supported with mSATA)
Storage Device	2 x 2.5" Easy swap HDD/SSD Tray
FRONT I/O	
USB	2 x USB 2.0
2.5" SSD/HDD Tray	2
Power button/ Power LED	1
HDD LED	1
REAR I/O	
USB	4 x USB 3.0
10 Gigabit Ethernet	2 x RJ45 (Optional)
1 Gigabit Ethernet	4 x RJ45
Display	1 x DisplayPort and 1 x HDMI from CPU
	DisplayPort from MXM Graphic card up to 6
MECHANICAL AND ENVIRONMENT	
Power Requirement	2 x 12V DC-in (others by request)
Weight	9.7 kg (21.4 lbs)
Operating	-40 to 50°C with 1.2m/s airflow
Temperature	
Storage Temperature	-40 to 85°C
Relative Humidity	5% to 95%, non-condensing

Ordering Information


Horus420-950 2U 19" Rugged Rackmount with Intel® 6th gen Core i7-6700, NVIDIA GTX950M, Operating Temperature -40~+70°C

Horus420-950-10GbE 2U 19" Rugged Rackmount with Intel® 6th gen Core i7-6700, NVIDIA GTX950M, Dual 10GbE, Operating Temperature -40~+50°C


Horus420-1060-10GbE 2U 19" Rugged Rackmount with Intel® 6th gen Core i7-6700, NVIDIA GTX1060M, Dual 10GbE, Operating Temperature -40~+50°C




Dimension



Appearance





7STARLAKE